

Usifer Usinagem e Ferramentaria

+55 24 3353-5366


+55 24 7812-4870 - ID 104*213131

comercial@usifer.net

www.usifer.net

Rua Guilhermina Alves de Lacerda, 148
Pilotos - Quatis - RJ - CEP: 27420-245





Usifer
CA-USI-GE

Sankyo
UCMSL


Voestalpine
—

Tribomat
CAT-B

Medidas mm

500 600 700 800 900 1000

Cursos e Dimensões





Medidas mm

500

Cunha Aérea	Cursos (mm)			Ângulo	Dimensional			
	Ataque	Cilindro/Mola	Prensa		Z	Y	W	X
CA-USI-GE-500-00	38,6	60	46	0°	385	500	370	323
CA-USI-GE-500-05	42,5	60	46,1	5°	385	500	370	329,58
CA-USI-GE-500-10	46,7	60	46,7	10°	385	500	370	335,94
CA-USI-GE-500-15	50,8	60	47,5	15°	385	500	370	341,91
CA-USI-GE-500-20	55,3	60	48,9	20°	385	500	370	347,34
CA-USI-GE-500-25	60	60	50,7	25°	385	500	370	347,06
CA-USI-GE-500-30	65,1	60	53,1	30°	385	500	370	350,93
CA-USI-GE-500-35	70,7	60	56,1	35°	385	500	385	353,8
CA-USI-GE-500-40	77,1	60	59,9	40°	385	500	400	355,54
CA-USI-GE-500-45	84,5	60	64,9	45°	385	500	410	361,02
CA-USI-GE-500-50	93,3	60	71,5	50°	385	500	430	355,12
CA-USI-GE-500-55	104,6	60	84,4	55°	385	500	428	367,74
CA-USI-GE-500-60	120	60	103,9	60°	385	500	439	378,77

Cursos e Dimensões



Medidas mm

600

Cunha Aérea	Cursos (mm)			Ângulo	Dimensional			
	Ataque	Cilindro/Mola	Prensa		Z	Y	W	X
Modelo				Grau				
CA-USI-GE-600-00	38,6	60	46	0°	385	600	370	323
CA-USI-GE-600-05	42,5	60	46,1	5°	385	600	370	329,58
CA-USI-GE-600-10	46,7	60	46,7	10°	385	600	370	335,94
CA-USI-GE-600-15	50,8	60	47,5	15°	385	600	370	341,91
CA-USI-GE-600-20	55,3	60	48,9	20°	385	600	370	347,34
CA-USI-GE-600-25	60	60	50,7	25°	385	600	370	347,06
CA-USI-GE-600-30	65,1	60	53,1	30°	385	600	370	350,93
CA-USI-GE-600-35	70,7	60	56,1	35°	385	600	385	353,8
CA-USI-GE-600-40	77,1	60	60	40°	385	600	400	355,54
CA-USI-GE-600-45	84,5	60	64,9	45°	385	600	410	361,02
CA-USI-GE-600-50	93,3	60	71,5	50°	385	600	430	355,12
CA-USI-GE-600-55	104,6	60	84,4	55°	385	600	428	367,74
CA-USI-GE-600-60	120	60	103,9	60°	385	600	439	378,77

*Obs.: Sob consulta Cunha Aérea de dimensional superior ao tabelado.